## There were only 5 cases in this subset of the data.

For the purpose of maintaining confidentiality, when the case total is 4 or 5, the HIV/STD Epidemiology Division will only release frequencies for single variables. We will not release crosstabulations of multiple variables.

Variable:	<u>Category:</u>	Case Count (%):
Age Group -	20-24 30-39 40-49 50-59 Total	1 (20.0%) 1 (20.0%) 2 (40.0%) 1 (20.0%) 5 (100.0%)
Race/Ethnicity -	White Non-Hispanic Hispanic Total	3 (60.0%) 2 (40.0%) 5 (100.0%)
Sex -	Male Total	5 (100.0%) 5 (100.0%)
Adult/Pediatric -	Adult/Adolescent Total	5 (100.0%) 5 (100.0%)
Mode of Exposure -	MMS IDU MMS & IDU Total	2 (40.0%) 1 (20.0%) 2 (40.0%) 5 (100.0%)

Age at Diagnosis \* Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	20-24	Count		2	2
Diagnosis		% within Sex		40.0%	14.3%
	25-29	Count		2	2
		% within Sex		40.0%	14.3%
	30-39	Count	3		3
		% within Sex	33.3%		21.4%
	40-49	Count	6		6
		% within Sex	66.7%		42.9%
	50-59	Count		1	1
		% within Sex		20.0%	7.1%
Total		Count	9	5	14
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	4	2	6
		% within Sex	44.4%	40.0%	42.9%
	African American	Count	3	2	5
		% within Sex	33.3%	40.0%	35.7%
	Hispanic	Count	2	1	3
		% within Sex	22.2%	20.0%	21.4%
Total		Count	9	5	14
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	4		4
Exposure		% within Sex	44.4%		28.6%
	IDU	Count	4	1	5
		% within Sex	44.4%	20.0%	35.7%
	Heterosexual Contact	Count		3	3
		% within Sex		60.0%	21.4%
	Not Classified	Count	1	1	2
		% within Sex	11.1%	20.0%	14.3%
Total		Count	9	5	14
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped	
			Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	6	6
		% within Adult-Ped	42.9%	42.9%
	African American	Count	5	5
		% within Adult-Ped	35.7%	35.7%
	Hispanic	Count	3	3
		% within Adult-Ped	21.4%	21.4%
Total		Count	14	14
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Concho Plateau

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			i	
			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	9	9
		% within Adult-Ped	64.3%	64.3%
	Female	Count	5	5
		% within Adult-Ped	35.7%	35.7%
Total		Count	14	14
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1		1
Diagnosis		% within Sex	4.8%		3.3%
	20-24	Count	3	2	5
		% within Sex	14.3%	22.2%	16.7%
	25-29	Count		2	2
		% within Sex		22.2%	6.7%
	30-39	Count	4	2	6
		% within Sex	19.0%	22.2%	20.0%
	40-49	Count	12	1	13
		% within Sex	57.1%	11.1%	43.3%
	50-59	Count	1	1	2
		% within Sex	4.8%	11.1%	6.7%
	60-69	Count		1	1
		% within Sex		11.1%	3.3%
Total		Count	21	9	30
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	12	4	16
		% within Sex	57.1%	44.4%	53.3%
	African American	Count	3	3	6
		% within Sex	14.3%	33.3%	20.0%
	Hispanic	Count	6	2	8
		% within Sex	28.6%	22.2%	26.7%
Total		Count	21	9	30
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	11		11
Exposure		% within Sex	52.4%		36.7%
	IDU	Count	5	1	6
		% within Sex	23.8%	11.1%	20.0%
	M-M & IDU	Count	2		2
		% within Sex	9.5%		6.7%
	Heterosexual Contact	Count		6	6
		% within Sex		66.7%	20.0%
	Not Classified	Count	2	2	4
		% within Sex	9.5%	22.2%	13.3%
	Ped Parent at Risk	Count	1		1
		% within Sex	4.8%		3.3%
Total		Count	21	9	30
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
			Pediatric	Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	15	16
		% within Adult-Ped	100.0%	51.7%	53.3%
	African American	Count		6	6
		% within Adult-Ped		20.7%	20.0%
	Hispanic	Count		8	8
		% within Adult-Ped		27.6%	26.7%
Total		Count	1	29	30
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	t-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	1	20	21
		% within Adult-Ped	100.0%	69.0%	70.0%
	Female	Count		9	9
		% within Adult-Ped		31.0%	30.0%
Total		Count	1	29	30
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1		1
Diagnosis		% within Sex	5.3%		3.6%
	20-24	Count	3	2	5
		% within Sex	15.8%	22.2%	17.9%
	25-29	Count		2	2
		% within Sex		22.2%	7.1%
	30-39	Count	4	2	6
		% within Sex	21.1%	22.2%	21.4%
	40-49	Count	10	1	11
		% within Sex	52.6%	11.1%	39.3%
	50-59	Count	1	1	2
		% within Sex	5.3%	11.1%	7.1%
	60-69	Count		1	1
		% within Sex		11.1%	3.6%
Total		Count	19	9	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	13-19	Count	1		1
Age		% within Sex	5.3%		3.6%
	20-24	Count	1	2	3
		% within Sex	5.3%	22.2%	10.7%
	25-29	Count	2		2
		% within Sex	10.5%		7.1%
	30-39	Count	2	2	4
		% within Sex	10.5%	22.2%	14.3%
	40-49	Count	8	3	11
		% within Sex	42.1%	33.3%	39.3%
	50-59	Count	5	1	6
		% within Sex	26.3%	11.1%	21.4%
	60-69	Count		1	1
		% within Sex		11.1%	3.6%
Total		Count	19	9	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

#### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	11	4	15
		% within Sex	57.9%	44.4%	53.6%
	African American	Count	3	3	6
		% within Sex	15.8%	33.3%	21.4%
	Hispanic	Count	5	2	7
		% within Sex	26.3%	22.2%	25.0%
Total		Count	19	9	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	9		9
Exposure		% within Sex	47.4%		32.1%
	IDU	Count	5	1	6
		% within Sex	26.3%	11.1%	21.4%
	M-M & IDU	Count	2		2
		% within Sex	10.5%		7.1%
	Heterosexual Contact	Count		6	6
		% within Sex		66.7%	21.4%
	Not Classified	Count	2	2	4
		% within Sex	10.5%	22.2%	14.3%
	Ped Parent at Risk	Count	1		1
		% within Sex	5.3%		3.6%
Total		Count	19	9	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	14	15
		% within Adult-Ped	100.0%	51.9%	53.6%
	African American	Count		6	6
		% within Adult-Ped		22.2%	21.4%
	Hispanic	Count		7	7
		% within Adult-Ped		25.9%	25.0%
Total		Count	1	27	28
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

# Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	18	19
		% within Adult-Ped	100.0%	66.7%	67.9%
	Female	Count		9	9
		% within Adult-Ped		33.3%	32.1%
Total		Count	1	27	28
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	30-39	Count	7		7
Diagnosis		% within Sex	100.0%		77.8%
	40-49	Count		1	1
		% within Sex		50.0%	11.1%
	50-59	Count		1	1
		% within Sex		50.0%	11.1%
Total		Count	7	2	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2		2
		% within Sex	28.6%		22.2%
	African American	Count	1	1	2
		% within Sex	14.3%	50.0%	22.2%
	Hispanic	Count	4	1	5
		% within Sex	57.1%	50.0%	55.6%
Total		Count	7	2	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	4		4
Exposure		% within Sex	57.1%		44.4%
	IDU	Count	1		1
		% within Sex	14.3%		11.1%
	M-M & IDU	Count	2		2
		% within Sex	28.6%		22.2%
	Heterosexual Contact	Count		2	2
		% within Sex		100.0%	22.2%
Total		Count	7	2	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	2
		% within Adult-Ped	22.2%	22.2%
	African American	Count	2	2
		% within Adult-Ped	22.2%	22.2%
	Hispanic	Count	5	5
		% within Adult-Ped	55.6%	55.6%
Total		Count	9	9
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Concho Plateau

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	7	7
		% within Adult-Ped	77.8%	77.8%
	Female	Count	2	2
		% within Adult-Ped	22.2%	22.2%
Total		Count	9	9
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	25-29	Count	1		1
Diagnosis		% within Sex	20.0%		16.7%
	30-39	Count	2	1	3
		% within Sex	40.0%	100.0%	50.0%
	40-49	Count	2		2
		% within Sex	40.0%		33.3%
Total		Count	5	1	6
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ЭХ	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2		2
		% within Sex	40.0%		33.3%
	African American	Count		1	1
		% within Sex		100.0%	16.7%
	Hispanic	Count	3		3
		% within Sex	60.0%		50.0%
Total		Count	5	1	6
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	3		3
Exposure		% within Sex	60.0%		50.0%
	IDU	Count	2		2
		% within Sex	40.0%		33.3%
	Heterosexual Contact	Count		1	1
		% within Sex		100.0%	16.7%
Total		Count	5	1	6
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

# AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	2
		% within Adult-Ped	33.3%	33.3%
	African American	Count	1	1
		% within Adult-Ped	16.7%	16.7%
	Hispanic	Count	3	3
		% within Adult-Ped	50.0%	50.0%
Total		Count	6	6
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Concho Plateau

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			i	
			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	5	5
		% within Adult-Ped	83.3%	83.3%
	Female	Count	1	1
		% within Adult-Ped	16.7%	16.7%
Total		Count	6	6
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count		1	1
Diagnosis		% within Sex		8.3%	.8%
	5-12	Count	1		1
		% within Sex	.9%		.8%
	20-24	Count	5		5
		% within Sex	4.6%		4.2%
	25-29	Count	13	2	15
		% within Sex	12.0%	16.7%	12.5%
	30-39	Count	63	3	66
		% within Sex	58.3%	25.0%	55.0%
	40-49	Count	21	4	25
		% within Sex	19.4%	33.3%	20.8%
	50-59	Count	3	2	5
		% within Sex	2.8%	16.7%	4.2%
	60-69	Count	2		2
		% within Sex	1.9%		1.7%
Total		Count	108	12	120
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	68	4	72
		% within Sex	63.0%	33.3%	60.0%
	African American	Count	10	2	12
		% within Sex	9.3%	16.7%	10.0%
	Hispanic	Count	30	6	36
		% within Sex	27.8%	50.0%	30.0%
Total		Count	108	12	120
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	62		62
Exposure		% within Sex	57.4%		51.7%
	IDU	Count	11	1	12
		% within Sex	10.2%	8.3%	10.0%
	M-M & IDU	Count	21		21
		% within Sex	19.4%		17.5%
	Hemophiliac	Count	1		1
		% within Sex	.9%		.8%
	Heterosexual Contact	Count	1	7	8
		% within Sex	.9%	58.3%	6.7%
	Transfusion	Count	2	1	3
		% within Sex	1.9%	8.3%	2.5%
	Not Classified	Count	9	2	11
		% within Sex	8.3%	16.7%	9.2%
	Ped Hemophiliac	Count	1		1
		% within Sex	.9%		.8%
	Ped Parent at Risk	Count		1	1
		% within Sex		8.3%	.8%
Total		Count	108	12	120
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		72	72
		% within Adult-Ped		61.0%	60.0%
	African American	Count		12	12
		% within Adult-Ped		10.2%	10.0%
	Hispanic	Count	2	34	36
		% within Adult-Ped	100.0%	28.8%	30.0%
Total		Count	2	118	120
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

# Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult		
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	107	108
		% within Adult-Ped	50.0%	90.7%	90.0%
	Female	Count	1	11	12
		% within Adult-Ped	50.0%	9.3%	10.0%
Total		Count	2	118	120
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ЭX	
			Male	Female	Total
Age at	0 (0-11 mo)	Count		1	1
Diagnosis		% within Sex		14.3%	1.6%
	20-24	Count	3		3
		% within Sex	5.4%		4.8%
	25-29	Count	8	2	10
		% within Sex	14.3%	28.6%	15.9%
	30-39	Count	32	2	34
		% within Sex	57.1%	28.6%	54.0%
	40-49	Count	12	1	13
		% within Sex	21.4%	14.3%	20.6%
	50-59	Count	1	1	2
		% within Sex	1.8%	14.3%	3.2%
Total		Count	56	7	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	5-12	Count		1	1
Age		% within Sex		14.3%	1.6%
	25-29	Count	1		1
		% within Sex	1.8%		1.6%
	30-39	Count	25	4	29
		% within Sex	44.6%	57.1%	46.0%
	40-49	Count	24	1	25
		% within Sex	42.9%	14.3%	39.7%
	50-59	Count	5	1	6
		% within Sex	8.9%	14.3%	9.5%
	60-69	Count	1		1
		% within Sex	1.8%		1.6%
Total		Count	56	7	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

#### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	33	1	34
		% within Sex	58.9%	14.3%	54.0%
	African American	Count	4	2	6
		% within Sex	7.1%	28.6%	9.5%
	Hispanic	Count	19	4	23
		% within Sex	33.9%	57.1%	36.5%
Total		Count	56	7	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	34		34
Exposure		% within Sex	60.7%		54.0%
	IDU	Count	7		7
		% within Sex	12.5%		11.1%
	M-M & IDU	Count	9		9
		% within Sex	16.1%		14.3%
	Heterosexual Contact	Count	1	5	6
		% within Sex	1.8%	71.4%	9.5%
	Not Classified	Count	5	1	6
		% within Sex	8.9%	14.3%	9.5%
	Ped Parent at Risk	Count		1	1
		% within Sex		14.3%	1.6%
Total		Count	56	7	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		34	34
		% within Adult-Ped		54.8%	54.0%
	African American	Count		6	6
		% within Adult-Ped		9.7%	9.5%
	Hispanic	Count	1	22	23
		% within Adult-Ped	100.0%	35.5%	36.5%
Total		Count	1	62	63
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped		
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count		56	56
		% within Adult-Ped		90.3%	88.9%
	Female	Count	1	6	7
		% within Adult-Ped	100.0%	9.7%	11.1%
Total		Count	1	62	63
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Age at	0 (0-11 mo)	Count		1	1
Diagnosis		% within Sex		6.3%	1.1%
	5-12	Count	1		1
		% within Sex	1.3%		1.1%
	20-24	Count	6	2	8
		% within Sex	8.0%	12.5%	8.8%
	25-29	Count	8	4	12
		% within Sex	10.7%	25.0%	13.2%
	30-39	Count	36	4	40
		% within Sex	48.0%	25.0%	44.0%
	40-49	Count	22	2	24
		% within Sex	29.3%	12.5%	26.4%
	50-59	Count	2	2	4
		% within Sex	2.7%	12.5%	4.4%
	60-69	Count		1	1
		% within Sex		6.3%	1.1%
Total		Count	75	16	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Current	5-12	Count		1	1
Age		% within Sex		6.3%	1.1%
	13-19	Count	1		1
		% within Sex	1.3%		1.1%
	20-24	Count	1	2	3
		% within Sex	1.3%	12.5%	3.3%
	25-29	Count	3		3
		% within Sex	4.0%		3.3%
	30-39	Count	27	6	33
		% within Sex	36.0%	37.5%	36.3%
	40-49	Count	32	4	36
		% within Sex	42.7%	25.0%	39.6%
	50-59	Count	10	2	12
		% within Sex	13.3%	12.5%	13.2%
	60-69	Count	1	1	2
		% within Sex	1.3%	6.3%	2.2%
Total		Count	75	16	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	44	5	49
		% within Sex	58.7%	31.3%	53.8%
	African American	Count	7	5	12
		% within Sex	9.3%	31.3%	13.2%
	Hispanic	Count	24	6	30
		% within Sex	32.0%	37.5%	33.0%
Total		Count	75	16	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

## Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	43		43
Exposure		% within Sex	57.3%		47.3%
	IDU	Count	12	1	13
		% within Sex	16.0%	6.3%	14.3%
	M-M & IDU	Count	11		11
		% within Sex	14.7%		12.1%
	Heterosexual Contact	Count	1	11	12
		% within Sex	1.3%	68.8%	13.2%
	Not Classified	Count	7	3	10
		% within Sex	9.3%	18.8%	11.0%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	1.3%	6.3%	2.2%
Total		Count	75	16	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
			Pediatric	Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	48	49
		% within Adult-Ped	50.0%	53.9%	53.8%
	African American	Count		12	12
		% within Adult-Ped		13.5%	13.2%
	Hispanic	Count	1	29	30
		% within Adult-Ped	50.0%	32.6%	33.0%
Total		Count	2	89	91
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	1	74	75
		% within Adult-Ped	50.0%	83.1%	82.4%
	Female	Count	1	15	16
		% within Adult-Ped	50.0%	16.9%	17.6%
Total		Count	2	89	91
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau